

# Scheme to follow for the treatment of Adenovirus in Pigeons

## To consider:

- 1.- This disease is known by other names: Adenocoli, Disease of the Young Pigeon.
- 2.- It has a viral origin and is usually accompanied by the E-Coli bacteria.
- 3.- Initially it only affected young pigeons, but nowadays it also affects adult pigeons
- 4.- It spreads through excrement, saliva, air and even through the egg.

## Products needed for treatment:



- **Total Disinfection Solution**, to control the spread of germs through water (one of the main routes of spread of the disease).



- **Dacochol**, to protect the liver and help detoxify the body.



- **Nifurmyn Plus Liquid**, to control and prevent the proliferation of bacteria associated with the disease.



- **Probac 1000**, to regenerate the intestinal flora and replace all the fluids lost during the process of the disease.



- **Backs Glut-Amin**, to help recover the organism after the illness.

## Scheme to follow for the treatment of Adenovirus

Days	Products to use:
Day 1	<b>Total Disinfection Solution</b> (10 ml per liter of drinking water)
Day 2	<b>Nifurmyn</b> (5ml per liter) + <b>Dacochol</b> (2 Bottle cap. per 1 liter) + <b>Probac 1000</b> (15gr per 1 kg of food)
Day 3	<b>Nifurmyn</b> (5ml per liter) + <b>Dacochol</b> (2 Bottle cap. per 1 liter) + <b>Probac 1000</b> (15gr per 1 kg of food)
Day 4	<b>Total Disinfection Solution</b> (10 ml per liter of drinking water)
Day 5	<b>Nifurmyn</b> (5ml per liter) + <b>Dacochol</b> (2 Bottle cap. per 1 liter) + <b>Probac 1000</b> (15gr per 1 kg of food)
Day 6	<b>Nifurmyn</b> (5ml per liter) + <b>Dacochol</b> (2 Bottle cap. per 1 liter) + <b>Probac 1000</b> (15gr per 1 kg of food)
Day 7	<b>Total Disinfection Solution</b> (10 ml per liter of drinking water)
Day 8	<b>Backs Glut-Amin</b> (15 ml per liter of drinking water)
Day 9	<b>Backs Glut-Amin</b> (15 ml per liter of drinking water)
Day 10	<b>Backs Glut-Amin</b> (15 ml per liter of drinking water)

## IMPORTANT:

Change the drinking water every 2 days

- ✓ This scheme must be applied **for 10 days**.
- ✓ At the end of this period, we evaluate and if the pigeons are not yet recovered, we wait 4-6 days and repeat the treatment.

## Adenovirus

