Scheme to follow for the treatment of Adenovirus in Pigeons

To consider:

- 1.- This disease is known by other names: Adenocoli, Disease of the Young Pigeon.
- 2.- It has a viral origin and is usually accompanied by the E-Coli bacteria.
- 3.- Initially it only affected young pigeons, but nowadays it also affects adult pigeons
- 4.- It spreads through excrement, saliva, air and even through the egg.

Products needed for treatment:



- **Total Disinfection Solution,** to control the spread of germs through water (one of the main routes of spread of the disease).



- Dacochol, to protect the liver and help detoxify the body.



- **Nifurmyn Plus Liquid**, to control and prevent the proliferation of bacteria associated with the disease.



- **Prowins Probibac Forte,** the perfect combination of Probiotics, Prebiotics, Electrolytes, Vitamins and Amino Acids, which guarantees a perfect intestinal flora throughout the year, even in periods of high stress.

Scheme to follow for the treatment of Adenovirus

Total Disinfection Solution (10 ml per liter of drinking water) Nifurmyn (5ml per liter) + Dacochol (2 Bottle cap. per 1 liter) + Probibac Forte (7,5g per 1 kg of food) Nifurmyn (5ml per liter) + Dacochol (2 Bottle cap. per 1 liter) + Probibac Forte (7,5g per 1 kg of food) Day 4 Total Disinfection Solution (10 ml per liter of drinking water) Nifurmyn (5ml per liter) + Dacochol (2 Bottle cap. per 1 liter) + Probibac Forte (7,5g per 1 kg of food) Nifurmyn (5ml per liter) + Dacochol (2 Bottle cap. per 1 liter) + Probibac Forte (7,5g per 1 kg of food)	Days
Day 3 Nifurmyn (5ml per liter) + Dacochol (2 Bottle cap. per 1 liter) + Probibac Forte (7,5g per 1 kg of food) Day 4 Total Disinfection Solution (10 ml per liter of drinking water) Day 5 Nifurmyn (5ml per liter) + Dacochol (2 Bottle cap. per 1 liter) + Probibac Forte (7,5g per 1 kg of food)	Day 1
Day 4 Total Disinfection Solution (10 ml per liter of drinking water) Day 5 Nifurmyn (5ml per liter) + Dacochol (2 Bottle cap. per 1 liter) + Probibac Forte (7,5g per 1 kg of food)	Day 2
Nifurmyn (5ml per liter) + Dacochol (2 Bottle cap. per 1 liter) + Probibac Forte (7,5g per 1 kg of food)	Day 3
	Day 4
NY CONTRACTOR OF THE PROPERTY	Day 5
Nifurmyn (5ml per liter) + Dacochol (2 Bottle cap. per 1 liter) + Probibac Forte (7,5g per 1 kg of food)	Day 6
Total Disinfection Solution (10 ml per liter of drinking water)	Day 7
Probibac Forte (7,5g per 1 kg of food)	Day 8
Probibac Forte (7,5g per 1 kg of food)	Day 9
Probibac Forte (7,5g per 1 kg of food)	Day 10

IMPORTANT:

Change the drinking water every 2 days



This scheme must be applied for 10 days.



At the end of this period, we evaluate and if the pigeons are not yet recovered, we wait 4-6 days and repeat the treatment.

Adenovirus

