

# Treatment against Ornithosis in Birds

## To consider:

- 1.- More than 50% of young birds have problems with Ornithosis, which causes a decrease in physical form and high losses in competitions.
- 2.- Very varied symptoms: lack of physical condition, nasal secretions, lack of desire to fly, swollen eyelids, frequent sneezing, rattle and cough, red throat, dry feathers ...
- 3.- It spreads through the inhalation of the dust generated by the excrement, through water, food as well as through the fattening of young birds by part of the parents.

## Necessary products:



- **Total Disinfection Solution**, to prevent the spread of Ornithosis and the contagion to other specimens of the aviary.



- **Pantex Ornimix DT**, for the treatment of ornithosis.



- **Probibac Bird**, to regenerate the intestinal flora and accelerate the Recovery.

## Scheme to follow for the treatment of Ornithosis

Days	Necessary products:
Day 1	- En 1 liter of drinking water: <b>Total Disinfection Solution</b> (15 ml) - En 1 kg of food: <b>Pantex Ornimix DT</b> (3,5 gr) + <b>Probibac Bird</b> (7,5 gr)
Day 2	- En 1 liter of drinking water: <b>Total Disinfection Solution</b> (15 ml) - En 1 kg of food: <b>Pantex Ornimix DT</b> (3,5 gr) + <b>Probibac Bird</b> (7,5 gr)
Day 3	- En 1 liter of drinking water: <b>Total Disinfection Solution</b> (15 ml) - En 1 kg of food: <b>Pantex Ornimix DT</b> (3,5 gr) + <b>Probibac Bird</b> (7,5 gr)
Day 4	- En 1 liter of drinking water: <b>Total Disinfection Solution</b> (15 ml) - En 1 kg of food: <b>Pantex Ornimix DT</b> (3,5 gr) + <b>Probibac Bird</b> (7,5 gr)
Day 5	- En 1 liter of drinking water: <b>Total Disinfection Solution</b> (15 ml) - En 1 kg of food: <b>Pantex Ornimix DT</b> (3,5 gr) + <b>Probibac Bird</b> (7,5 gr)
Day 6	- En 1 liter of drinking water: <b>Total Disinfection Solution</b> (15 ml) - En 1 kg of food: <b>Pantex Ornimix DT</b> (3,5 gr) + <b>Probibac Bird</b> (7,5 gr)
Day 7	- En 1 liter of drinking water: <b>Total Disinfection Solution</b> (15 ml) - En 1 kg of food: <b>Pantex Ornimix DT</b> (3,5 gr) + <b>Probibac Bird</b> (7,5 gr)



This plan must be administered for 7 consecutive days.

## Ornithosis

